

1
20.01.2026 - 15:15 , 50m (10-11)

: AQUA 2025

1.	,	15	"	"	31.07	262
2.	,	16	"	"	31.72	246
3.	,	16	"	"	32.72	224
4.	,	15	"	"	32.81	223
5.	,	16	"	"	32.86	222
6.	,	15	"	"	33.10	217
7.	,	16	"	"	33.28	213
8.	,	15	"	"	33.59	207
9.	,	15	"	"	33.65	206
10.	,	15	"	"	33.82	203
11.	,	16	"	"	33.95	201
12.	,	15	"	"	34.18	197
13.	,	15	"	"	34.21	196
14.	,	15	"	"	34.54	191
15.	,	16	"	"	34.61	190
16.	,	15	"	"	34.67	189
17.	,	15	"	"	34.69	188
18.	,	15	"	"	34.71	188
19.	,	15	"	"	34.87	185
20.	,	15	"	"	34.88	185
21.	,	15	"	"	34.89	185
22.	,	16	"	"	34.95	184
23.	,	15	"	"	35.24	180
24.	,	16	"	"	35.48	176
25.	,	15	"	"	35.50	176
26.	,	15	"	"	35.62	174
27.	,	16	"	"	35.68	173
28.	,	15	"	"	35.70	173
29.	,	16	"	"	35.91	170
30.	,	15	"	"	35.94	169
31.	,	16	"	"	36.01	168
32.	,	15	"	"	36.05	168
33.	,	15	"	"	36.25	165
34.	,	15	"	"	37.07	154
35.	,	15	"	"	37.23	152
36.	,	16	"	"	37.25	152
37.	,	16	"	"	37.27	152
38.	,	16	"	"	37.36	151
39.	,	15	"	"	37.57	148
40.	,	15	"	"	37.69	147
41.	,	15	"	"	37.77	146
42.	,	16	"	"	37.82	145
43.	,	15	"	"	37.90	144
44.	,	15	"	"	37.91	144
45.	,	15	"	"	38.03	143
46.	,	15	"	"	38.06	142
47.	,	16	"	"	38.20	141
48.	,	16	"	"	38.22	141
49.	,	16	"	"	38.36	139
	,	15	"	"	38.36	139
51.	,	16	"	"	38.39	139
52.	,	15	"	"	38.48	138
	,	15	"	"	38.48	138

1,	, 50m	,	(10-11)		
54.	,	15	" "	38.50	138
55.	,	16	" "	38.53	137
56.	,	15	" "	38.59	137
57.	,	15	" "	38.64	136
58.	,	16	" "	38.65	136
59.	,	15	" "	38.67	136
60.	,	16	" "	38.80	134
61.	,	16	" "	38.88	134
	,	16	" "	38.88	134
63.	,	16	" "	38.90	133
64.	,	16	" "	38.92	133
65.	,	16	" "	38.95	133
66.	,	16	" "	39.01	132
67.	,	15	" "	39.06	132
68.	,	15	" "	39.12	131
69.	,	15	" "	39.22	130
70.	,	16	" "	39.37	129
71.	,	15	" "	39.44	128
72.	,	16	" "	39.52	127
73.	,	15	" "	39.69	126
	,	16	" "	39.69	126
75.	,	15	" "	39.79	125
76.	,	15	" "	39.85	124
77.	,	15	" "	39.92	123
78.	,	16	" "	39.95	123
79.	,	15	" "	40.12	122
80.	,	16	" "	40.18	121
81.	,	15	" "	40.24	120
82.	,	15	" "	40.65	117
83.	,	16	" "	40.91	115
84.	,	16	" "	41.06	113
85.	,	15	" "	41.07	113
86.	,	15	" "	41.13	113
87.	,	16	" "	41.19	112
88.	,	15	" "	41.42	110
89.	,	16	" "	41.70	108
90.	,	16	" "	41.83	107
91.	,	16	" "	41.99	106
92.	,	15	" "	42.11	105
93.	,	16	" "	42.13	105
94.	,	16	" "	42.15	105
95.	,	16	" "	42.25	104
96.	,	16	" "	42.27	104
97.	,	16	" "	42.33	103
98.	,	16	" "	42.41	103
99.	,	16	" "	42.72	101
100.	,	15	" "	42.89	99
101.	,	15	" "	43.13	98
102.	,	16	" "	43.32	96
	,	16	" "	43.32	96
104.	,	15	" "	43.46	96
105.	,	16	" "	43.62	94
106.	,	15	" "	43.74	94
107.	,	16	" "	43.75	94
108.	,	16	" "	43.76	94
109.	,	16	" "	43.77	93

1,	, 50m	,	(10-11)		
110.	,	16	" "	43.96	92
	,	15	" "	43.96	92
112.	,	16	" "	44.20	91
	,	16	" "	44.20	91
114.	,	16	" "	44.47	89
115.	,	16	" "	44.56	89
116.	,	16	" "	44.70	88
117.	,	16	" "	44.71	88
	,	16	" "	44.71	88
119.	,	16	" "	45.04	86
120.	,	16	" "	45.16	85
121.	,	16	" "	45.23	85
122.	,	16	" "	45.42	84
123.	,	16	" "	45.58	83
124.	,	15	" "	45.62	83
125.	,	16	" "	46.16	80
126.	,	16	" "	46.48	78
127.	,	16	" "	47.05	75
128.	,	16	" "	47.21	74
129.	,	16	" "	47.45	73
130.	,	16	" "	47.54	73
131.	,	16	" "	48.77	67
132.	,	15	" "	48.79	67
133.	,	16	" "	48.91	67
134.	,	15	" "	49.12	66
135.	,	15	" "	49.96	63
136.	,	16	" "	50.12	62
137.	,	16	" "	51.09	59
138.	,	16	" "	51.11	59
139.	,	16	" "	51.72	56
140.	,	15		1:00.90	34
DSQ	,	16	" "		
DSQ	,	15	" "		