

7
21.01.2026 - 16:05

, 50m

(10-11)

: AQUA 2025

1.	,	15	"	"	33.62	284
2.	,	16	"	"	36.61	220
3.	,	15	"	"	37.59	203
4.	,	16	"	"	37.63	202
5.	,	16	"	"	37.83	199
6.	,	15	"	"	38.40	190
7.	,	15	"	"	38.44	190
8.	,	16	"	"	38.90	183
9.	,	16	"	"	38.97	182
10.	,	16	"	"	39.14	180
11.	,	15	"	"	39.16	179
12.	,	15	"	"	39.39	176
13.	,	15	"	"	39.40	176
14.	,	15	"	"	39.41	176
15.	,	16	"	"	39.46	175
16.	,	15	"	"	39.57	174
17.	,	15	"	"	40.00	168
18.	,	15	"	"	40.09	167
19.	,	15	"	"	40.31	165
20.	,	15	"	"	40.37	164
21.	,	15	"	"	40.53	162
22.	,	15	"	"	40.61	161
23.	,	15	"	"	40.72	160
24.	,	15	"	"	40.83	158
25.	,	16	"	"	40.84	158
26.	,	15	"	"	40.95	157
27.	,	16	"	"	41.25	153
28.	,	15	"	"	41.27	153
29.	,	15	"	"	41.63	149
30.	,	16	"	"	42.33	142
31.	,	16	"	"	42.36	142
32.	,	16	"	"	42.49	140
33.	,	16	"	"	42.58	140
34.	,	15	"	"	42.64	139
35.	,	16	"	"	42.75	138
36.	,	15	"	"	42.78	138
37.	,	16	"	"	43.12	134
38.	,	15	"	"	43.42	132
39.	,	16	"	"	43.56	130
40.	,	16	"	"	43.61	130
41.	,	15	"	"	43.77	128
	,	16	"	"	43.77	128
43.	,	15	"	"	43.83	128
44.	,	15	"	"	43.85	128
45.	,	15	"	"	44.17	125
46.	,	16	"	"	44.28	124
47.	,	15	"	"	44.39	123
48.	,	16	"	"	44.41	123
49.	,	15	"	"	44.48	122
50.	,	15	"	"	44.53	122
51.	,	15	"	"	44.70	121
52.	,	16	"	"	44.71	120
53.	,	15	"	"	44.88	119

7, , 50m , (10-11)

54.	,	16	"	"	44.98	118
55.	,	16	"	"	45.20	117
56.	,	16	"	"	45.30	116
57.	,	15	"	"	45.37	115
58.	,	16	"	"	45.39	115
59.	,	15	"	"	45.45	115
60.	,	16	"	"	45.85	112
61.	,	15	"	"	45.87	111
62.	,	16	"	"	45.98	111
63.	,	16	"	"	46.01	110
64.	,	15	"	"	46.18	109
65.	,	16	"	"	46.28	109
	,	16	"	"	46.28	109
67.	,	15	"	"	46.49	107
68.	,	16	"	"	46.88	104
69.	,	16	"	"	46.95	104
70.	,	15	"	"	47.09	103
71.	,	16	"	"	47.17	102
72.	,	15	"	"	47.23	102
	,	16	"	"	47.23	102
74.	,	16	"	"	47.31	102
75.	,	15	"	"	47.34	101
76.	,	15	"	"	47.50	100
77.	,	15	"	"	47.51	100
78.	,	15	"	"	47.76	99
79.	,	15	"	"	47.87	98
80.	,	15	"	"	48.09	97
81.	,	16	"	"	48.22	96
82.	,	15	"	"	48.35	95
83.	,	15	"	"	48.54	94
84.	,	16	"	"	48.59	94
85.	,	15	"	"	48.65	93
86.	,	16	"	"	48.74	93
87.	,	16	"	"	48.87	92
88.	,	16	"	"	48.91	92
89.	,	15	"	"	48.93	92
90.	,	16	"	"	49.07	91
91.	,	15	"	"	49.12	91
92.	,	16	"	"	49.24	90
93.	,	16	"	"	49.51	89
94.	,	16	"	"	49.53	88
95.	,	16	"	"	49.59	88
96.	,	15	"	"	49.60	88
97.	,	15	"	"	49.63	88
98.	,	15	"	"	49.69	88
99.	,	16	"	"	49.79	87
100.	,	16	"	"	49.85	87
	,	15	"	"	49.85	87
102.	,	16	"	"	49.92	86
103.	,	16	"	"	49.96	86
104.	,	16	"	"	50.00	86
105.	,	15	"	"	50.05	86
106.	,	16	"	"	50.19	85
107.	,	16	"	"	50.52	83
108.	,	16	"	"	50.54	83
109.	,	16	"	"	50.90	81

7, , 50m , (10-11)

110.	,	16	"	"	50.92	81
111.	,	16	"	"	50.97	81
112.	,	16	"	"	51.04	81
113.	,	16	"	"	51.22	80
114.	,	16	"	"	51.47	79
115.	,	16	"	"	51.57	78
116.	,	16	"	"	51.73	78
117.	,	15	"	"	51.75	77
118.	,	16	"	"	52.17	76
119.	,	16	"	"	52.18	76
120.	,	16	"	"	52.38	75
121.	,	16	"	"	52.51	74
	,	16	"	"	52.51	74
123.	,	16	"	"	53.00	72
124.	,	15	"	"	53.26	71
125.	,	15			53.82	69
126.	,	15	"	"	53.93	68
127.	,	16	"	"	54.10	68
128.	,	15	"	"	54.30	67
129.	,	16	"	"	54.71	66
130.	,	16	"	"	54.90	65
131.	,	16	"	"	55.08	64
132.	,	16	"	"	55.33	63
133.	,	16	"	"	55.34	63
134.	,	16	"	"	55.38	63
135.	,	16	"	"	55.63	62
136.	,	16	"	"	56.28	60
137.	,	15	"	"	56.43	60
138.	,	16	"	"	57.77	56
139.	,	16	"	"	1:00.58	48
140.	,	16	"	"	1:25.42	17
DSQ	,	15	"	"		
DSQ	,	16	"	"		
DSQ	,	15	"	"		
DSQ	,	15	"	"		